



# Syndromic Surveillance Report

Epi-week 49: 01<sup>st</sup> – 7<sup>th</sup> December 2025

Date of report: 08<sup>th</sup> December 2025

Distribution: Internal & External use

New information in blue

Prepared by: Health Security & Disease Surveillance Division

Email: [surveillance@health.gov.ws](mailto:surveillance@health.gov.ws)

Tel: 66506/66507

## List of Syndromes monitored under the Syndromic Surveillance

1. Dengue like illness	4. Diarrhoea
2. Influenza like illness	5. Acute Fever & Rash
3. Severe acute respiratory infection	6. Prolonged fever

## Public Awareness & Recommendations (Healthcare staff)

### GENERAL PUBLIC AWARENESS:

- Encourage vaccinations & boosters for unvaccinated individuals, and keep infant vaccination book up to date.
- Eliminate mosquito breeding sites, use insect repellent, utilize mosquito nets & promote a sanitary environment.
- Promote hand washing, sanitizer use, wearing a mask and encourage boiling water during rainy season.
- If you are feeling sick, stay home to prevent the spreading of disease and see a doctor immediately if your symptoms get worse.
- Help us help you, share your correct village & contact number so we can respond quickly and effectively

### RECOMMENDATIONS FOR HEALTHCARE STAFF:

- Encourage timely reporting for early detection of any communicable disease outbreaks.
- Ensure the syndrome case definition aligns with the patient's presenting symptoms for accurate reporting
- Encourage specimen collection to support confirmatory diagnosis, especially for AFR (e.g., measles, rubella, HFMD), DLI (e.g., dengue, chikungunya), ILI (e.g., COVID-19, influenza) and other syndromes.
- Ensure all staff are aware of the reporting mechanism in place. For e.g., calling in or reporting on the district hospitals messenger group chat.
- Remind staff (Clinical & Records) to always ask for working phone numbers and current addresses. These details are essential for field epidemiological investigations.

## Reporting matrix from health facilities, 01<sup>st</sup> – 07<sup>th</sup> December 2025

Outstanding Reports for epi-week 49							
Health Facility	01-Dec-25	02-Dec-25	03-Dec-25	04-Dec-25	05-Dec-25	06-Dec-25	07-Dec-25
TTMH							
Lufilufi DH							
Lalomanu DH							
Poutasi DH							
Saanapu HC							
Faleolo HC							
MTII							
Foailalo DH							
Sataua DH							
Safotu DH							
Satupaitea DH							

Reported

Pending report

- Total number of sites: 11
- Total reporting sites in epi-week 49: 11
- Percentage of sites reported for epi-week 49: 100%

Deadline of updates for this report: 4pm, 08<sup>th</sup> December 2025

**Case Definition:** Fever ( $\geq 38^{\circ}\text{C}$ ) for at least 2 days, PLUS at least 2 of the following: Nausea or vomiting; Muscle or joint pain; Severe headache or pain behind the eyes; Rash; bleeding


**Alert threshold:** twice the average number of cases seen in the previous two weeks

Epi-weeks	Epi-week 48: 24/11/25 – 30/11/25	Epi-week 49: 01/12/25 – 07/12/25
Total cases reported	75	51
Moving Average	102	79
Threshold	204	158

- The total number of DLI cases has decreased by 32% compared to the previous epi-week.
- In Epi-week 49, there were 51 DLI cases reported: 27 of which are Dengue lab-confirmed cases from TTMH Laboratory.

**A Dengue Fever outbreak was declared on the 17th April 2025. We continue to advise and encourage all clinicians to collect samples for testing of all patients presenting with dengue like illnesses.**

Figure 1. Number of DLI cases reported from all Health Facilities



## 2. Influenza like illness (ILI)

**Case Definition:** An acute respiratory infection with a history of fever or measured fever of  $\geq 38^{\circ}\text{C}$  and cough, with onset within the last 10 days


**Alert threshold:** Exceeding double the average in the previous 2 weeks

Epi-weeks	Epi-week 48: 24/11/25 – 30/11/25	Epi-week 49: 01/12/25 – 07/12/25
Total cases reported	938	769
Moving Average	898	927
Threshold	1795	1853

- ILI cases decreased by 18% compared to the previous epi-week & remain below the alert threshold.
- In this epi-week, a total of 2 nasopharyngeal swabs (NPS) were collected and referred to TTMH Lab.
- All samples returned negative for respiratory panel testing.

It is also encouraged that samples are collected for verification & confirmation of the causative agent

Figure 2. Number of ILI cases reported from all Health Facilities




### 3. Severe acute respiratory infection (SARI)

**Case Definition:** An acute respiratory infection with a history of fever or measured fever of  $\geq 38$  C° and cough, with onset within the last 10 days, AND requiring hospitalization

**Alert threshold: 2 linked cases**

Epi-weeks	Epi-week 48: 24/11/25 – 30/11/25	Epi-week 49: 01/12/25 – 07/12/25
Total cases reported	33	12
Moving Average	40	43
Threshold	2 linked cases	2 linked cases
<ul style="list-style-type: none"> <li>There is a 64% decrease in SARI case total compared to the previous epi-week.</li> <li>Cases were reported from TTMH (8), Lalomanu (1), MTIIH (1), Safotu (1) and Satupaitea (1) HF.</li> <li>2 of the 12 (17%) SARI cases were tested; cases were from TTMH ED. See results below: <ul style="list-style-type: none"> <li>2 cases returned negative results for respiratory panel testing.</li> </ul> </li> <li>Most of the SARI cases were diagnosed with severe pneumonia (83%) &amp; LRTI/URTI (17%)</li> <li>The clinical team are reminded and advised to test all SARI cases.</li> <li>An ongoing challenge is the invalid phone numbers provided. Phone contacts retrieved from PATIS is also invalid. This results in the inability to conduct initial investigation interviews.</li> </ul>		

Figure 3. Number of SARI cases reported from all health facilities




**Case Definition:** Sudden onset of fever ( $>38^{\circ}\text{C}$ ) AND acute non-vesicular or non-blistering rash  
**Alert threshold:** **two or more cases that temporally and epidemiologically linked**

Epi-weeks	Epi-week 48: 24/11/25 – 30/11/25	Epi-week 49: 01/12/25 – 07/12/25
<b>Total cases reported</b>	2	0
<b>Moving Average</b>	4	3
<b>Threshold</b>	$\geq 2$ linked cases	$\geq 2$ linked cases

- In epi-week 49, there were no reported AFR cases.
- 6 suspected measles cases were sent to VIDRL on 1 December 2025; results are remain pending
- Attending Physicians are encouraged to collect blood samples for suspect Measles, Rubella and HFMD cases for confirmatory testing.

Figure 5. Number of AFR cases reported from all health facilities



## 6. Prolonged fever

**Case Definition:** Fever  $\geq 38^{\circ}\text{C}$  lasting 3 or more days.

**Alert threshold:** **twice the average number of cases seen in the previous two weeks**

Epi-weeks	Epi-week 48: 24/11/25 – 30/11/25	Epi-week 49: 01/12/25 – 07/12/25
<b>Total cases reported</b>	0	0
<b>Moving Average</b>	0	0
<b>Threshold</b>	0	0

- No Prolonged Fever cases were reported since Epi-week 44.
- Attending physicians are encouraged to strictly apply syndrome case definitions, provide a definitive diagnosis for reported AFI cases, and collect blood samples for suspected typhoid cases for confirmation

Figure 6. Number of Prolonged fever cases reported from all health facilities

